

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/812,956	03/31/2004	Christine Meunier	237565US0	4881	
22850 OBLON SPIV	7590 10/03/2007 'AK MCCLELLAND N		EXAM	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			FRAZIER, BARBARA S		
ALEXANDRIA	A, VA 22314		ART UNIT	PAPER NUMBER	
		• •	1609		
			·		
			NOTIFICATION DATE	DELIVERY MODE	
			10/03/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)	
10/812,956	MEUNIER, CHRISTII	NE
Examiner	Art Unit	
Barbara Frazier	1609	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on <u>09/11/07</u> is considered non-compliant because it has failed to meet the requirements of 37 CFR 1 121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is

required.
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
 2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. B. Other
 3. Amendments to the drawings: A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d). B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. C. Other
 4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). D. The claims of this amendment paper have not been presented in ascending numerical order. E. Other:
5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIME DEDIONS FOR FILING A REDLY TO THIS NOTICE:

OR FILING A REPLY TO THIS NOTICE:

- 1. Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
- 2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1, to 4, are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.

Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.

Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or

Mon-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental

mendment. Legal Instruments Examiner (LIE), if applicable

571-270-3496

Telephone No.

The amendment to the claims filed 9/11/07 is not in compliance with 37 CFR 1.121 for the following reasons:

- 1. The claims present the word "optionally" in claim 1 (see claim 1, line 4), when the word "optionally" was deleted in the amendment filed 8/15/07.
- 2. The claims have an improper status identifier for claim 12; the claim is presented as "Original", but the claim was canceled in the amendment filed 8/15/07.
 - 3. The claims do not present claim 24, which was added in the amendment filed 8/15/07.

Applicant is given **one month**, or thirty (30) day, whichever is longer, from the mail date of this notice to supply the appropriate corrections.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara Frazier whose telephone number is (571)270-3496. The examiner can normally be reached on Monday-Thursday 8am-4pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ardin Marschel can be reached on (571)272-0718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/812,956

Art Unit: 1609

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BSF

ARDIN'H. MARSCHEL SUPERVISORY PATENT EXAMINER